



# PRODUCT DATASHEET

## Rose series

last update 17/12/2012

### DETAILS

<b>Product Number</b>	CA10569_OSS-2-M
<b>Family</b>	Rose
<b>Type</b>	Assembly
<b>Color</b>	white
<b>Diameter</b>	21,6 + 21,6 mm
<b>Height</b>	13,9 mm
<b>Style</b>	square
<b>Optic Material</b>	PMMA
<b>Holder Material</b>	
<b>Fastening</b>	tape
<b>Status</b>	production ready
<b>ROHS Compliant</b>	Yes
<b>Date Updated</b>	17/12/2012

### OPTICAL PROPERTIES


LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
Golden Dragon+	24 deg	Medium	-	4.360	-



Ledil Oy CA10569\_OSS-2-M-GD+\_SIMULATED / LDC (Linear)


Luminaire: Ledil Oy CA10569\_OSS-2-M-GD+\_SIMULATED

Lamps: 1 x Golden Dragon Plus 100lm



# Ledil Oy CA10569\_OSS-2-M-GD+\_SIMULATED / LDC (Polar)

Luminaire: Ledil Oy CA10569\_OSS-2-M-GD+\_SIMULATED  
Lamps: 1 x Golden Dragon Plus 100lm



cd/klm

— C0 - C180

— C90 - C270

**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**